

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	3034	switch\$3 with (pulse or signal) with float\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 17:58
S3	457	switch\$3 near3 (pulse or signal) near3 float\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 17:55
S4	323058	CCD or imager or (imag\$3 adj1 (sens\$3 or pick\$1up or array or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:08
S5	21	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 17:57
S7	111	switch\$3 with (pulse or signal) with float\$3 with transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:00
S8	66	S4 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:00
S9	136005	switch\$3 adj1 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 15:56
S10	290738	floating	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:00
S11	412	S9 with S10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:01
S12	15	S4 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:02
S13	10	("4507684" "4875101" "5796432" "5814810" "5986702").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:11
S14	498	floating adj1 level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:12

S15	136005	switch\$3 adj1 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:08
S16	5	S14 with S15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:12
S17	1795	floating near1 level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:12
S18	8	S15 with S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:12
S19	38	switch\$3 near3 S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:14
S20	1	S4 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:13
S21	8	(switch\$3 with S17) and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:15
S22	17	(switch\$3 adj1 circuit) with (off\$1on or on\$1off) with S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:16
S23	0	S4 with S15 with color with (B\$1W or black\$4white)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:18
S24	93	S4 with S15 with color	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:19
S25	1	S4 with S15 with transfer with off	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:19
S26	73	S4 with S15 with transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:19

S27	22030	line\$3 near2 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:19
S28	77805	color and ((Black near2 white) or (B\$2W))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:29
S29	15438	red with green with blue with white	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:21
S30	121	S27 and S15 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:21
S31	31	S27 and S15 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:21
S33	44458	color with ((Black near2 white) or (B\$2W) or monochrome)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:28
S34	50	S15 with S33	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:24
S35	2	S27 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:24
S37	7	S33 and 348/324.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:27
S38	2	S15 and 348/324.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:28
S39	576228	((Black near2 white) or (B\$2W) or monochrome)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:28
S40	11	S39 and 348/324.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:31

S41	284	switch\$3 with floating with transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:33
S42	119	S4 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:31
S43	6	switch\$3 with (floating near1 (level or voltage)) with transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:34
S44	368	switch\$3 with (floating near1 (level or voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:34
S45	119	(floating near1 (level or voltage)) with transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:34
S46	55	S4 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:12
S47	18	S4 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:35
S49	3	S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 18:35
S50	91	(switch\$3 adj1 circuit) with (transfer\$4 near2 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:13
S51	323362	CCD or imager or (imag\$3 adj1 (sens\$3 or pick\$1up or array or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:13
S52	48	(switch\$3 adj1 circuit) with (transfer\$4 near2 register) with (pulse or signal or fixed or floating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:15
S53	10	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:14

S54	6	S52 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:13
S55	9223	(transfer\$4 near2 register) with (pulse or signal or fixed or floating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:15
S56	2021	S51 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:15
S57	159	(transfer\$4 near2 register) with ((pulse or signal) with (floating or fixed))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:17
S58	91	S57 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:15
S59	13	(transfer\$4 near2 register) with ((pulse or signal) with ((floating or fixed) near2 (level or voltage)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:18
S60	6	S51 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 10:17
S61	23	(transfer\$4 near2 register) with ((floating or fixed) near2 (level or voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 11:24
S62	1137648	(battery or (power adj1 supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 11:25
S63	136082	switch\$3 adj1 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 15:56
S64	318	(timing near2 generator) with (S63)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/13 17:47
S66	14952	transfer near2 register	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 11:39

S67	2495049	switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 11:39
S68	2263510	selecting or selection or selectively	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 11:40
S69	5620	S66 and S67 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 14:01
S70	14952	transfer near2 register	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:08
S71	2495049	switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 14:01
S72	2263510	selecting or selection or selectively	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 14:01
S73	50	S70 with S71 with S72	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 14:08
S74	1760	(floating adj1 level) or (floating adj1 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:14
S75	323362	CCD or imager or (imag\$3 adj1 (sens\$3 or pick\$1up or array or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:53
S76	14952	transfer near2 register	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:09
S77	136082	switch\$3 adj1 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:08
S78	1	S74 and S75 and S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:09

S79	2332606	transfer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:09
S80	5	S74 and S75 and S79 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:10
S81	699636	timing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:10
S82	23	S74 and S75 and S79 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:10
S83	9	348/294-324.ccls. and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:14
S84	0	257/225-234.ccls. and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:15
S85	4	250/208.1.ccls. and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:15
S86	1	358/513-514.ccls. and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:29
S87	12008	float\$3 near1 (level or voltage or node)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:16
S88	158	348/294-324.ccls. and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:15
S89	51	257/225-234.ccls. and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:15
S90	69	250/208.1.ccls. and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:15

S91	2	358/513-514.ccls. and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:15
S92	7	(S88 or S89 or S90 or S91) and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:19
S93	6	S76 same S87	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:17
S94	19	(S88 or S89 or S90 or S91) and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:18
S95	238	(S88 or S89 or S90 or S91)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:19
S96	77929	color and ((Black near2 white) or (B\$2W))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:44
S97	213	358/514.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:30
S98	71	S96 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:32
S99	26255	red same blue same green same white	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:35
S10 0	22008	(line or linear) near2 S75	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:34
S10 1	892	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:33
S10 2	15486	red with blue with green with white	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:33

S10 3	512	S101 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:33
S10 4	31	S101 and S102 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:34
S10 5	15804	(line or linear or linescan\$3) near1 S75	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:34
S10 6	560215	scanning	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:35
S10 7	1374	S96 and S105 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:35
S10 8	183	S96 and S105 and S106 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:35
S10 9	174	red same blue same green same white same S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:40
S11 0	109	S109 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:35
S11 1	827	red with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:40
S11 2	23	(red near1 filter) with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:41
S11 3	73	(blue near1 filter) with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:40
S11 4	70	(green near1 filter) with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:41

S11 5	3	(white near1 filter) with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:41
S11 6	537	(white) with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:43
S11 7	827	(red) with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:41
S11 8	774	(blue) with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:41
S11 9	751	(green) with S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:41
S12 0	61	S116 and S117 and S118 and S119 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:44
S12 1	551536	((Black near2 white) or (B\$2W))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:44
S12 2	62	S116 and S117 and S118 and S119 and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:46
S12 3	75	color adj1 linear adj1 image adj1 sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:47
S12 4	2637	linear adj1 image adj1 sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:46
S12 5	324	S124 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:46
S12 6	2	S125 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:46

S12 7	388	S124 and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:46
S12 8	4	S127 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:47
S12 9	2	S123 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:49
S13 0	16	S123 and (floats or floating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:49
S13 1	47	S124 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:49
S13 2	214	S124 and (floats or floating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:49
S13 3	210	S132 not S131	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:52
S13 4	18930	((pulse adj1 signal\$1) or (driving adj1 pulse\$1) or (driving adj1 signals)) with (replac\$3 or switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:53
S13 5	1091	(S75 or S124) and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:55
S13 6	6578	((pulse adj1 signal\$1) or (driving adj1 pulse\$1) or (driving adj1 signals)) near3 (replac\$3 or switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:53
S13 7	354	(S75 or S124) and S136	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:54
S13 8	4339	((pulse adj1 signal\$1) or (driving adj1 pulse\$1) or (driving adj1 signals)) near2 (replac\$3 or switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:54

S13 9	195	(S75 or S124) and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:54
S14 0	4	((pulse adj1 signal\$1) or (driving adj1 pulse\$1) or (driving adj1 signals)) with (replac\$3 or switch\$3) with S76	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:55
S14 1	275	(pulse\$1 or signal\$1 or driving) with (replac\$3 or switch\$3) with S76	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:56
S14 2	83	(S75 or S124) and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:56
S14 3	112	(pulse\$1 or signal\$1 or driving) with (replacing or switching or replaced or switched) with S76	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:58
S14 4	38	(S75 or S124) and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:58
S14 5	24179	(pulse\$1 or signal\$1 or driving) with (replacing or switching or replaced or switched) with timing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:59
S14 6	1688	(S75 or S124) and S145	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:59
S14 7	2266	(pulse\$1 or signal\$1 or driving) with (replacing or switching or replaced or switched) with (timing near1 (generator or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:59
S14 8	4681	(pulse\$1 or signal\$1 or driving) with (replacing or switching or replaced or switched) with (timing near2 (generator or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:00
S14 9	470	(S75 or S124) and S148	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:59
S15 0	187	(pulse\$1 or signal\$1 or driving) with (replacing or replaced) with (timing near2 (generator or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 16:59

S15 1	470	(S75 or S124) and S149	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:00
S15 2	81	(pulse\$1 or signal\$1 or driving) near3 (replacing or switching or replaced or switched) near3 (floating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:01
S15 3	3	(S75 or S124) and S152	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:01
S15 4	6779	(pulse\$1 or signal\$1 or driving) near3 (floating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:01
S15 5	6779	(pulse\$1 or signal\$1 or driving) near3 (floating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:02
S15 6	515	(pulse\$1 or signal\$1 or driving) near3 (floating adj1 diffusion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:01
S15 7	6337	(S155 not S156)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:01
S15 8	477	(S75 or S124) and S157	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:02
S15 9	127	(pulse\$1 or signal\$1 or driving) near3 S74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:02
S16 0	7	(S75 or S124) and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:02